



MT

Service & Upholstery

Furniture components

2019

BP 078-8



Finish option
Product name

Explanatory signs

MIN minimal order

● available in stock

📦 quantity/set

ℹ details on the page

⚖ weight [kg]

Standard covering for metal products:

- ...-0 no covering
- ...-1 zinc coating
- ...-2 copper – galvanization
- ...-4 white polished – powder coating
- ...-5 black polished – powder coating
- ...-7 silver – powder coating
- ...-8 chrome
- ...-12 black matt – powder coating
- ...-19 black structure – powder coating
- ...-20 aluminium polished
- ...-27 stainless steel brushed
- ...-28 stainless steel polished
- ...-34 brushed nickel - galvanization
- ...-37 black chrome – galvanization
- ...-46 blacken oxidized steel

CONTENT

4-21	Sofa and corner mechanisms
22-27	Corner ottoman mechanisms
28-33	Bed mechanisms
34-39	Armchair mechanisms
40-53	Headrest and armrest mechanisms
54-57	Backrest mechanisms
58-61	Table mechanisms
62-74	Assembly fittings: connectors, hinges, hook brackets, angle brackets, castors
75-78	Plastic accessories
79-93	Furniture legs and bases
94-99	Swivel bases
100-101	Index



PUMA_SYSTEM

PUMA_SYSTEM

a complete range of modern mechanisms with sleeping functions for both sofas and corner sofas, distinguished by the following features:

ERGONOMICS – an easy to use sleeping function, unfolded in one move, supported by working springs, designed not to damage the floor;

COMFORT – thick mattresses, in both the seating and sleeping section of the sofa; an incline seat option for optimum comfort;


DESIGN – the possibility to build sofa on high legs.



PUMA_SYSTEM

FOR SOFA / CORNERUNIT **STANDARD**

PATENT



Transformation mechanism

- | | | | | |
|---------------------|-------|-------|------|--------|
| ● PF 107-B-5 | H=40 | S=175 | 5,50 | MIN 20 |
| ● PF 190-B-5 | H=100 | S=150 | 5,50 | MIN 20 |



Required accessories

Synchronizing bar

- | | | | |
|---------------------|---------------|------|---|
| ● PF 290-A-5 | L=1375 ÷ 1435 | 1,40 | 1 |
|---------------------|---------------|------|---|
- L - internal box width
Adjustment every 10 mm



Spring

- | | | |
|-------------------|---------|------|
| ● AS 119-1 | Fs=278N | 0,14 |
| ● AS 135-1 | Fs=367N | 0,15 |
| ● AS 252-1 | Fs=490N | 0,24 |
- 2



Additional accessories

Backrest cushion raising mechanism

- | | | |
|---------------------|------|--------|
| ● PC 116-B-1 | 0,80 | MIN 20 |
|---------------------|------|--------|



Spring for PC 116-B-1

- | | | |
|-------------------|---------|------|
| ● AS 119-1 | Fs=200N | 0,14 |
| ● AS 252-1 | Fs=330N | 0,24 |
- 1



Automatic leg


- | | | |
|-------------------|------|--------|
| PF 280-E-5 | 1,20 | MIN 20 |
|-------------------|------|--------|



PUMA_SYSTEM_PLUS

FOR SOFA / CORNERUNIT WITH SEAT EXTENTION

PATENT PENDING



- Design - high feet up to 100 mm
 Functionality - without removing backrest cushions
 - "Relax" position - 100 mm seat extension 00 mm
 - incline seat option

Transformation mechanism

- **PF 190-Z-5** $\alpha=0^\circ$ 6,80 MIN 20
- **PF 190-W-5** $\alpha=2,2^\circ$ 6,90 MIN 20



Required accessories

Synchronizing bar

- **PF 290-A-5** 2 L=1400 ÷ 1460
 L - internal box width
 Adjustment every 10 mm



Front spring

- **AS 119-1** $F_s=278N$ 0,14
- **AS 135-1** $F_s=367N$ 0,15
- **AS 252-1** $F_s=490N$ 0,24



Rear spring

- **AS 189-1** $F_s=70N$ 0,08
- **AS 432-1** $F_s=325N$ 0,11



Additional accessories

Automatic leg


- **PF 280-E-5** 1,20 MIN 20



PUMA_LONG

FOR SOFA / CORNERUNIT WITH LOWERED BACKREST

PATENT PENDING



Transformation mechanism

● **PF 275-B-5** 9,40 MIN 20



Synchronizing bar

PF 256-A-5 L=1354 1,42 1



Spring

● **AS 135-1** $F_s=367N$ 0,15
 ● **AS 252-1** $F_s=490N$ 0,24
 ● **AS 428-1** $F_s=620N$ 0,18
 2



Backrest hinge


PC 111-A-1 0,17 MIN 40
 2



PUMA_LONG_TRIPLE

FOR SOFA / CORNERUNIT WITH RAISED BACKREST

INDUSTRIAL PROPERTY



Transformation mechanism

PF 282-C-5 12 **MIN 20**



Synchronizing bar

PF 256-A-5 L=1354 1,42 1



Spring

AS 126-1 F_s=510N 0,36
AS 109-1 F_s=660N 0,47
AS 108-1 F_s=880N 0,40 2



Backrest raising mechanism

PC 106-A-5 2,30 **MIN 20**



Spring for PC 106-A-5

AS 258-1 F_s=620N 0,07
AS 414-1 F_s=950N 0,08 2



Synchronizing bar for PC 106-A

PF 290-A-5 L = 1410 ÷ 1470 1,50 1
 L - internal box width
 Adjustment every 10 mm



DL_SYSTEM

FOR SOFA/ CORNERUNIT



Transformation mechanism

● **PF 016-5-3G** 1,50 MIN 50



Required accessories

Telescopic synchronizing bar

● **CB 029-5-3G** L=1000÷1400 1,20

● **CB 033-5-3G** L=1200÷2000 1,40 1



Hinge

● **CH 031-1** 0,30 2



More hinges p. 64-65


Spring

● **AS 119-1** $F_s=278N$ 0,14

● **AS 135-1** $F_s=367N$ 0,15

● **AS 252-1** $F_s=490N$ 0,24 2






Design - high feet in furniture
Functionality - automatic leg

Transformation mechanism

● **PF 021-5** 5,20 **MIN 50**



Required accessories p. 10



Design - high feet in furniture
Functionality - adjusted automatic leg

Transformation mechanism

PF 085-5 4,80 **MIN 50**




Required accessories p. 10

DELFIN_SYSTEM


FOR CORNERUNIT WITH LOW FEET




● PF 001-B-5  2,60 MIN 50




● PF 004-1  2,30 MIN 48



● PF 003-5  2,70 MIN 50




PF 005-5  3,50 MIN 50




DELFIN_SYSTEM

FOR CORNERUNIT WITH LOW FEET


WU 409-Z-5  4,00 MIN 50



WU 437-Z-5  3,30 MIN 50




WU 429-D-5  4,40 MIN 50



Required accessories

- AL 050-5** a=41 b=23
-  **AL 051-5** a=32 b=9
-  **AL 052-5** a=24 b=6



WU 573-5

L=1320  1,20  1
L – available also on request



 **AZ 321-1**
 2  67



AZ 357-1
 2  66



or


 **LZ 037-5**
 1  67




DELFIN_SYSTEM

FOR CORNERUNIT WITH HIGH FEET

PATENT



● **WS 189-5** 4,40 MIN 50



Required accessories

AL 050-5 1



WU 573-5 L=1320 1,20 1
L – available also on request




● **WS 578-5** 1,18 1 MIN 50




DELFIN_SYSTEM_LONG


FOR SOFA / CORNERUNIT WITH LOW FEET, ALONGSIDE SLEEPING



WB 123-5 5,00 MIN 50



WU 437-Z-5 3,30 MIN 50



Required accessories

AL 050-5 1 13



AZ 321-1 2 66



AZ 357-1 2 66




WU 986-5 L=1322

WU 393-5 L=1227

1+1



VENUS




SW 036-5 1,50 MIN 50 1

PO 213-1 1,10 MIN 50 1

AZ 321-1 2 67

AR 165-1 4 71




PF 008-A-5 2,60 MIN 50 1



AS 120-1 0,32 2




VESPA




● MS 003-5	L=1400	W=1550	📦 25,20	MIN 10
MS 002-5	L=1200	W=1350	📦 22,40	MIN 30



HAITI




KO 012-5 L=800 3,60 MIN 40 **KO 011-5** L=1510 9,40 MIN 40 **KO 009-5** L=1385 5,50 MIN 40




Additional accessories

Assisted unfolding

KO 128-1 MIN 40



MINOS



WU 200-B-5  15,10 MIN 10




WAVE

PATENT




Swivel mechanism

PB 031-5  3.70 **MIN 10**



SPINNER


PATENT PENDING



Swivel mechanism

PB 041-5 11,40

MIN 30



Armrest joint

PP 918-1 $F_s=25Nm$ 42


Headrest joint

PP 918-A-1 $F_s=7Nm$ 42




LIFTING MECHANISM

FOR LIGHT CORNER SOFA OTTOMAN WITH REGULAR SPRING



● **PL 134-4** 1,12 MIN 50



Spring

- **AS 130-1** $F_s=100\text{N}$  0,08
- **AS 119-1** $F_s=380\text{N}$  0,14




Plastic cover

- **TO 001-4**  2  76



● **PM 142-4** 1,70 MIN 50



Spring

- AS 130-1** $F_s=140\text{N}$  0,08
AS 105-1 $F_s=360\text{N}$  0,15
AS 477-1 $F_s=510\text{N}$  0,18
 2:4



Plastic cover

- **TO 002-4** 2 76




Assembly with slide-in joints

- PB 103-4** 2,80 **MIN 50**



Slide-in joints

- PB 356-1**  1
- PB 357-1**  1



Spring

- **AS 146-1** $F_s=370\text{N}$ 0,18
 2; 4; 6



Plastic cover


- **TO 002-4** 2 76



LIFTING MECHANISM

FOR **LIGHT** CORNER SOFA OTTOMAN WITH **GAS SPRING**

PL 001-4  1,20 MIN 50




Gas spring

XRA 0160 $F_s=500N$  0,20  2
Recommended load 5–25 kG

XRA 0069 $F_s=800N$  0,20  2
Recommended load 25–40 kG



PM 147-4  1,20 MIN 50



Gas spring

XRA 0160 $F_s=500N$  0,20  2
Recommended loadn 5–15 kG

XRA 0069 $F_s=800N$  0,20  2
Recommended load 12–25 kG




Assembly with slide-in joints

PB 105-4  2,90 MIN 50



Slide-in joints

PB 356-1  1
PB 357-1  1



Gas spring


XRA 0066 $F_s=1000N$  0,20  2
Recommended load 30–50 kG



LIFTING MECHANISM

FOR **HEAVY** CORNER SOFA OTTOMAN WITH **REGULAR SPRING**

● **PZ 182-4**  3,30 MIN 50



Spring

- **AS 129-1** $F_s=360N$  0,31
- **AS 126-1** $F_s=550N$  0,35
- **AS 109-1** $F_s=630N$  0,46
- **AS 108-1** $F_s=900N$  0,41  2




Plastic cover

- **TO 003-4**  2  76



● **PZ 185-4**  2,60 MIN 50



Spring

- **AS 107-1** $F_s=350N$  0,17
- **AS 102-1** $F_s=400N$  0,18  2




Plastic cover

- **TO 002-4**  2  76



PZ 191-1  2,50 MIN 50



Spring

- **AS 176-1** $F_s=210N$  0,15
- **AS 105-1** $F_s=300N$  0,15  2




Plastic cover

- **TO 002-4**  2  76




LIFTING MECHANISM

FOR **HEAVY** CORNER SOFA OTTOMAN WITH **GAS SPRING**



● **PZ 180-4**  3,40 **MIN 50**



Gas spring

XRA 0045 $F_s=500N$  0,20  2
Recommended load 12–22 kG



XRA 0083 $F_s=700N$  0,20  2
Recommended load 17–32 kG

XRA 0168 $F_s=1000N$  0,20  2
Recommended load 24–45 kG





Pouf lifting mechanism


● **PC 024-1**  0,50 **MIN 50**



Pouf lifting mechanism


● **PC 025-1** 0,46 **MIN 50**







PW 165-1 L=184 2,00 Typ N MIN 70
PW 166-1 L=208 2,00 Typ N MIN 70

PW 175-1 L=261 S=281 2,60 Typ I MIN 70
PW 177-1 L=205 S=215 2,30 Typ N MIN 70




PW 186-5 1,50 MIN 40





● **PZ 217-5**  6,50 **MIN 20**



Gas spring

XRA 0118 $F_s=900\text{N}$  0,20  2
Recommended load 25–45 kg

XRA 0046 $F_s=1000\text{N}$  0,20  2
Recommended load 30–50 kg

XRA 0064 $F_s=1150\text{N}$  0,20  2
Recommended load 35–60 kg




Bolted frame for self assembly

Slat spacing $a=58$

RU 800-5	1380 x 2000	 24	MIN 20
RU 800-A-5	1580 x 2000	 26	MIN 20
RU 800-B-5	1780 x 2000	 28	MIN 20

Slat spacing $a=21$

RU 801-5	1380 x 2000	 28	MIN 20
RU 801-A-5	1580 x 2000	 30	MIN 20
RU 801-B-5	1780 x 2000	 32	MIN 20



Additional accessories

Standard angle bracket

CK 028-5



Option

 **AK 131-1**



Option

AK 085-4



Option

AK 177-4






More angle brackets on the page 69

Adjusted leg

NG 250-A-5

$H=100 \div 150$ MIN 50






PZ 245-5

8,60

MIN 50



Gas spring

XRA 0129 $F_s=700N$ 0,20 2

Recommended load 45÷55 kG

XRA 0128 $F_s=900N$ 0,20 2

Recommended load 55÷65 kG



Synchronizing bar

CB 033-5-3G

L=1200÷2000

1,20


1





Mechanism with regular spring

● **PD 122-1** 2,20 **MIN 50**




Spring

● **AS 138-1** 0,14 2



Mechanism with gas spring

PD 126-A-1 2,4 **MIN 50**




Gas spring

XRA 0083 $F_s=700N$ 0,25 2




BOXSPRING



Fittings for wooden frame

● **RU 316-5**  5,60  MIN 50



Required accessories

RU 324-0  5,30  1

● **AH 073-5**  0,17  6 MIN 300

SI 193-5  0,80  1 MIN 50





Frame

SF 115-5  15,60 MIN 20


Chrome base

BG 086-8  9,10 MIN 20



LOUNGE_SYSTEM

FOR ARMCHAIR AND SOFA



Functionality - additional regulation of headrest angle

Mechanism with headrest

SF 056-Z-5 3,80 MIN 50



Footrest mechanism

SF 085-A-5 3,4 1 MIN 50



Option without footrest

AR 015-1 1 MIN 50



AP 072-1 2 MIN 100



Required accessories

Electric motor

KDYJT013-B-X 1,6 1



Rear synchronizing bar

SF 094-B-5 L=600 0,70 1
L - Seat width




Front synchronizing bar

SF 086-5 L=600 0,70 1



LOUNGE_SYSTEM

FOR CORNER OTTOMAN



Functionality - additional regulation of headrest angle

Mechanism with headrest

SF 056-Z-5 3,80 MIN 50



AP 072-1 2 MIN 100



AR 015-A-1 1 MIN 50



AR 116-1 2 MIN 100



AH 072-5 2 MIN 100



Required accessories

Standard

KDH026 1



Option

KDH135 1
USB



Option

KDH057 1




Option

KDH054 1



Zero wall



Backrest assembled with slide-in joints

Powered version

SF 070-A-5  15,50  MIN 10



Rear synchronizing bar

SF 095-F-5 L=570  0,98  1
L= Seat width

Front synchronizing bar

SF 092-G-5 L=570  0,83  1
L= Seat width



Required accessories

Standard

KDH026  1



Option

KDH135  1
USB



Option

KDH057  1



Option

KDH054  1



Option

Manual version

SF 306-A-5  12,20  MIN 10



SF 090-F-5

L=570  0,42  1
L= Seat width





Double footrest


SF 724-5	L=510	7,00	MIN 40
SF 732-5	L=540	7,00	MIN 40
SF 733-5	L=566	7,00	MIN 40

L= Seat width



Plastic cover

TO 117-5



EASYFRAME



SB 844-5	L=500	9,10	MIN 30
SB 838-5	L=600	9,70	MIN 30
	L= Seat width		




SB 846-5	L=500	16,00	MIN 30
SB 840-5	L=600	17,50	MIN 30
	L= Seat width		



SB 848-5	L=500	22,30	MIN 30
SB 842-5	L=600	24,00	MIN 30
	L= Seat width		



EASYSLIDE



To extend the seat

● **AR 006-A-1** 2 MIN 50



AP 046-1

L=300 4 MIN 100

AP 041-1

L=230 4 MIN 100

L – available also on request



Electric motor

KDYJT013-A-X

Stroke 255 mm 1

KDYJT013-B-X

Stroke 175 mm 1



● **AK 442-1**

2 MIN 100



Required accessories

Standard

KDH026 1



Option

KDH135 1

USB



Option

KDH057 1



Option

KDH054 1





GEARS

A range of modern mechanisms for headrests and armrests distinguished by the following features:

DURABILITY – confirmed by laboratory tests;

FUNCTIONALITY – wide range of different functions: fabric stretching, automatic returning, assembly with angle brackets and slide-in joints;

CUSTOMISATION – possible choice of both initial and final position as well as a torque of the mechanism.


FLEXMATIC

RATCHET MECHANISM RECOMMENDED FOR **HEADREST / ARMREST** ADJUSTMENT

INDUSTRIAL PROPERTY



Maximum torque **150 Nm**



Product Code	Initial position	Final position	Angle type	Unit	Min. order	Note
PP 150-1	90°	170°		pc	100	
PP 156-A-1	90°	150°	A	pair	50	
PP 185-1	90°	150°		pair	50	Return spring
PP 187-E-1	90°	180°	A	pair	50	Return spring

Assembly option p. 47

● **AK 133-1** MIN 200



Assembly with slide-in joints p. 47


AL 094-1 MIN 200





- Stepless and silent adjustment
- Blockade at any position
- Easy correction of the position
- Overloading does not damage the mechanism

PP 918-1	0,16	MIN 50	Resistance force 25 Nm/pc
PP 918-A-1	0,16	MIN 50	Resistance force 7 Nm/pc



ERGOMATIC

STEPLESS MECHANISM RECOMMENDED FOR **HEADREST** ADJUSTMENT

PATENT PENDING



PP 918-B-8  0,16 **MIN 25**
Resistance force 2 x7 Nm



Assembly option p. 47

 **AK 133-1** **MIN 200**



PP 918-D-1  0,16 **MIN 25**
Resistance force 2 x7 Nm
Stretching 50 mm



Assembly with slide-in joints p. 47


AL 094-1 **MIN 200**




SOLIDMATIC

RATCHET MECHANISM RECOMMENDED FOR **ARMREST / BACKREST** ADJUSTMENT

PATENT PENDING




Maximum torque per pair **2 x 300 Nm**




Product Code	Initial position	Final position	No. of positions	Unit	Min. order
PP 555-1	180°	260°	8	pair	50
PP 555-A-1	175°	265°	9	pair	50
PP 555-C-1	90°	180°	9	pair	50

STRECHMATIC

RATCHET MECHANISM RECOMMENDED FOR **HEADREST** ADJUSTMENT WITH **STRETCHING** FUNCTION



Product Code	Stretching	Initial position	Final position	Unit	Weight	Min. order	Note
PP 241-1	80 mm	105°	195°	pair	1,4	45	
PP 241-A-1	80 mm	105°	195°	pair	1,5	45	Return spring




Product Code	Stretching	Initial position	Final position	Unit	Weight	Min. order	Note
● PP 151-1	~30 mm	90°	190°	pair	0,8	25	
PP 151-A-1	~30 mm	90°	190°	pair	0,95	50	Return spring

FRIMATIC

FRICTION MECHANISM RECOMMENDED FOR **HEADREST** ADJUSTMENT




PP 343-J-1	 0,16	MIN 40	Resistance force 10 Nm/pc
PP 343-I-1	 0,16	MIN 40	Resistance force 7 Nm/pc
PP 343-U-1	 0,16	MIN 40	Resistance force 14 Nm/pc



Durability test




ANGLE BRACKET FITTING METHOD - OPTIONS




Standard bracket angle

AK 133-1  0,07 MIN 200





Option

AZ 032-1  0,12 MIN 200




Assembly with slide-in joints

AL 094-1  0,07 MIN 200







PP 040-8 Max 2 x 90 Nm  0,63 **MIN 50**




PP 007-8 $\alpha=75^\circ$ Max 2 x 60 Nm  0,80 **MIN 40**
PP 006-8 $\alpha=90^\circ$ Max 2 x 60 Nm  0,80 **MIN 40**



PP 054-8 Max 2 x 90 Nm  0,84 **MIN 50**






PP 101-B-8 Max 2 x 130 Nm  0,95 **MIN 50**






● **PP 510-8** 0,52

MIN 50



● **PP 509-B-8** 0,41

MIN 50



Non-degree regulation

PP 505-A-8

0,40

MIN 50




PP 512-8

0,25

MIN 50

2




PP 432-B-8

Max 2 x 105 Nm

1,10

MIN 50



Required accessories

TS 132-8


MIN 200

Soft spring

TS 130-8

MIN 200

Medium spring



TS 168-8


MIN 200

Soft spring

TS 169-8


MIN 200



Medium spring





SZ 509-E-8  0,36 MIN 40







● **PC 006-8**  3,00 MIN 20

Gas spring

PC 001-8  3,00 MIN 40



Synchronizing bar


PC 011-5 L=530  0,36  1






Torque of 7 Nm



PP 270-1 0,45 MIN 50






● **PC 026-1**  0,95 **MIN 40**





Mechanism	L	[kg]	min.
PC 136-1	152	0,90	45
PC 136-A-1	182	0,80	45
PC 136-B-1	250	0,80	50




Mechanism	L [mm]	H [mm]	F [Nm]	[kg]	min. min.
PB 033-1	260	150	4,5	1,49	48
PB 033-I-1	188	117	4,5	1,38	50





Mechanism with gas spring $F=100\text{ N}$

● **MK 082-A-8**  2,27 MIN 10



PUSH





PT 013-B-5

🔩 2,50



MIN 30

AS 506-1

Fs=105 N

🔩 0,15

📐 2





Mechanism with regular spring

PT 011-5



MIN 25

Recommended countertop weight 6,5÷11 kg





AS 119-46

F_s=278 N



0,14



Mechanism with gas spring



PT 011-B-5



MIN 25

Recommended countertop weight 6,5÷11 kg

Takes little space in furniture



Additional accessories

PC 090-5

L=874



0,55







Mechanism with regular spring

● **PT 009-5** 📦 15,80 MIN 40

Recommended weight of 2 countertops 16÷24 kg




● **AS 119-46** $F_s=278\text{ N}$ 📦 0,14
🔧 2




Knock down bracket



AL 200-1  0,15 **MIN 100**




AL 011-1  0,15 **MIN 100**




CZ 002-1  0,07 **MIN 100**




AL 034-1  0,07 **MIN 200**





AZ 717-1  0,35 **MIN 50**





AZ 716-1  0,13 **MIN 100**





CZ 149-B-1  0,23 MIN 100
CZ 149-C-1  0,03 MIN 100





Plastic
TZ 007-5  0,07 MIN 200




CZ 150-1  0,10 MIN 150




CZ 034-1  0,18 MIN 100




AH 002-1 L=40  0,01 MIN 100
AH 003-1 L=50  0,02 MIN 100




AH 024-1  0,12 MIN 200




CH 009-1  0,20 MIN 100




AH 055-4  0,63 MIN 50




AH 001-1  0,12 MIN 200



AH 025-1  0,16 MIN 100




CH 028-1  0,18 MIN 100




Heavy-duty

AH 049-1  0,26 MIN 100




Co-works with AH 068

AH 011-5  0,36 MIN 100




Co-works with CZ 181-1

CH 031-1  0,28 MIN 100




Backrest angle 4°

AH 050-1  0,30 MIN 100




Slide-in joint

AH 068-5  0,15 MIN 100



Slide-in joint


CZ 181-1  0,17 MIN 100



Hinge with slide-in joint

Backrest angle 4°



AH 071-1  0,50 MIN 100



AZ 208-1 a=81 h=28 Castor Ø 38

0,08 MIN 100

AZ 229-1 a=117 h=7 ±3 0,07 MIN 100




With rubber

AZ 357-1 a=78 h=28 ±3 Castor Ø 43 MIN 100

AZ 358-1 a=66 h=25 ±3 Castor Ø 43 MIN 100

AZ 361-1 a=77 h=28 ±3 Castor Ø 38 MIN 100


0,09



With rubber


AZ 359-1 a=123 h=13 ±3 Castor Ø 38 MIN 200

0,08




Plastic

LZ 037-5  0,04 MIN 200



AZ 321-1 L=84 h=38  0,05 MIN 100

AZ 324-1 L=103 h=47  0,063 MIN 100



AZ 605-1 H=35  0,05 MIN 200

AZ 604-1 H=40  0,05 MIN 200

AZ 603-1 H=46  0,05 MIN 200




AZ 326-1  0,05 MIN 200



AK 003-1

0,02


MIN 100



AK 006-1

0,02


MIN 1000



AK 012-1

0,05


MIN 100



AK 034-5

0,05


MIN 300



CK 101-1

0,24


MIN 100



CK 017-5

0,14


MIN 100



AK 085-4





MIN 100



AK 177-4




MIN 100



CK 028-5





MIN 105



● **AK 131-1**





MIN 100



CL 006-1


MIN 5000



AR 101-1

0,03

MIN 100




AR 103-1
AR 205-1

PP

PP+Elastomer

0,03 MIN 100


0,03 MIN 100



AR 105-1

0,02


MIN 100



AR 104-1

0,02


MIN 100



AR 108-1

0,05

MIN 100




AR 107-1
AR 190-1

PP


PP+Elastomer

0,03 MIN 100


0,02 MIN 100




● **AR 172-1** PP+Elastomer  0,06 MIN 100




AR 109-1 PP  0,08 MIN 100
 ● **AR 165-1** PP+Elastomer  0,08 MIN 100




AR 106-1 PP  0,04 MIN 100
AR 189-1 PP+Elastomer  0,04 MIN 100




AR 136-1 PP  0,11 MIN 100
 ● **AR 168-1** PP+Elastomer  0,11 MIN 100




AR 110-1 PP  0,1 MIN 100
AR 174-1 PP+Elastomer  0,08 MIN 100



CR 018-1 PP+Elastomer  0,20 MIN 100




AR 116-1 0,04 MIN 100




AR 115-1 PP
AR 167-1 PP+Elastomer

0,13 MIN 100
0,08 MIN 100



To extend the seat


AR 006-D-1 Left 0,10 MIN 200
AR 006-C-1 Right 0,10 MIN 200




AP 046-1 L=300 0,24 MIN 100
AP 041-1 L=230 0,20 MIN 100
L – available also on request





AR 121-1 0,28 MIN 50



AP 008-1 L=700 0,43 MIN 50
L – available also on request




AR 117-1 0,11**MIN 100****TP 003-2** 0,16**MIN 40****PO 212-1**



Castor Ø=29x16

 0,65 1**MIN 100****PO 215-1**


Castor Ø=30x25

 0,66 1**MIN 100****AS 052-C-5** 1,07**MIN 50**


L – available also on request




TZ 069-0 MIN 5000




TZ 001-4 MIN 2500



TZ 011-4 MIN 1000



AK 083-5 MIN 400




AS 141-0	L=460	/17/3,8 /TYP A	0,10	MIN 1000
AS 153-0	L=530	/19/3,8 /TYP A	0,11	MIN 1000
AS 161-0	L=600	/21/3,8 /TYP A	0,14	MIN 1000
AS 169-0	L=630	/23/3,8 /TYP A	0,15	MIN 1000
AS 162-0	L=650	/23/3,8 /TYP A	0,13	MIN 1000

L – available also on request

AS 437-0	L=540	TYP B	0,14	MIN 1000
-----------------	-------	-------	------	----------


L – available also on request




Birch slats

DL 055-0	L=660	MIN 200
DL 056-0	L=790	MIN 200



L – available also on request



TS 011-5 MIN 1000




● TO 001-4	L=380	H=70	F=50	MIN 200
● TO 002-4	L=510	H=70	F=50	MIN 200
● TO 003-4	L=790	H=80	F=60	MIN 125




TS 120-4

MIN 1000




TS 113-5

MIN 1000




TS 009-5

MIN 5000




● **TS 078-4**


MIN 2500




TS 013-5 H=5 MIN 1000
TS 111-5 H=10 MIN 1000




TS 016-5 L=15 H=5 MIN 1000




TS 019-5 Ø=13 H=25 MIN 800




TS 014-5 MIN 1000




TS 004-5 MIN 2500
TS 186-1 Elastomer MIN 2500




TS 230-5 A=28 B=16 MIN 1000
TS 231-5 A=38 B=24 MIN 1000
TS 232-5 A=58 B=48 MIN 1000




TS 018-5 MIN 1000




TS 021-5 MIN 300




TS 272-5 MIN 1000




TS 042-5 ■ 1000




TS 150-5 ■ 1000




TS 083-4 ■ 1000




● **TS 033-5** H=15 ■ 1000
TS 270-5 H=25 ■ 1000




TS 180-5 ■ 1000




TS 080-4 ■ 1000




TS 023-5 H=25 ■ 1000
TS 024-5 H=35 ■ 600
TS 038-5 H=50 ■ 400




TS 046-5 H1=50 H2=34 ■ 250
TS 046-B-5 H1=50 H2=25 ■ 250
TS 211-5 H1=60 H2=35 ■ 250



TS 026-5 H1=65 H2=35 ■ 150
TS 026-A-5 H1=65 H2=15 ■ 150
TS 129-5 H1=100 H2=35 ■ 100



TS 184-5 Ø=7 H=45 ■ 200





FURNITURE LEGS AND BASES

A selection of decorative products, that reflect the latest trends, tailored to both the individual and contractual requirements.

DESIGN – our own label range of original designs, including a wide range of decorative coverings;

FLEXIBILITY – possible modification of standard designs or implementation of individual projects;

QUALITY – satisfying customers needs, also the most demanding ones.

Decorative coverings



...-8
Chrome



...-37
Black chrome



...-2
Copper



...-34
Brushed nickel



...-19
Black structure


BONI

BG 918-A-8

0,64

MIN 96

Steel




CRUZ

BG 919-8

0,51

MIN 96

Steel




FUTURA

BG 857-8

0,39

MIN 96

Steel




INCA

BG 749-8

0,35

MIN 96

Steel




SALZA

BG 756-8

0,40

MIN 96

Steel




CLAPSY

BG 765-8

0,47

MIN 96

Steel





CONDOR

BG 979-8

Steel

0,44

MIN 100





PASO

BA 006-20

Polished aluminium

0,35

MIN 96



ROSA

BG 149-8

H=130

0,35

MIN 100



BG 713-8

H=160

0,38

MIN 100

Steel




YOKO

BG 533-8

Steel

0,30

MIN 100




VIGO

BG 531-8

Steel

0,47

MIN 100



CORAL

BG 551-A-8

H=160 0,42

MIN 100

● **BG 551-8**

H=150 0,40

MIN 100

BG 551-B-8

H=120 0,38


MIN 100

BG 551-C-8

H=100 0,35

MIN 100

Steel




CAYEN

BA 007-A-8

0,30

MIN 100

ZnAl




PRINS

BG 298-8

0,30

MIN 100

Steel



ACOR

NG 818-8

H=130

0,40

MIN 100

NG 910-8

H=100

0,36

MIN 100


BG 532-8

H=153

0,38

MIN 100

Steel




**NINFA****BG 913-8**

Steel

0,59


MIN 100

**NINFA****BG 931-8**

Steel

0,46



MIN 100



VERTIS

BG 207-8	H=120	0,85	MIN 100
BG 621-8	H=150	1,02	MIN 96
BG 591-8	H=100	0,75	MIN 96



Steel



ZET

BG 402-8	1,09	MIN 100
-----------------	------	---------



Steel



ALEN

BG 775-8	H=130	1,30	MIN 96
-----------------	-------	------	--------

Steel




DOT

NA 201-0

0,26

MIN 100

Aluminium :



PERGOLA

BG 314-8

H=110

0,27

MIN 100

BG 319-8

H=80

0,27

MIN 100

Steel




TUBO

BG 235-8

0,35


MIN 100

Steel




NES

BG 449-8  0,80 **MIN 40**
Steel



SVEN

BG 306-8 H=130 L=910 W=50 T=6  3,00 **MIN 40**
BG 010-8 H=120 L=800 W=80 T=8  6,00 **MIN 40**
BG 225-8 H=100 L=800 W=80 T=5  3,20 **MIN 40**
Steel




HANA

BG 820-8

 5,20

MIN 30

Steel





ISLA

BG 858-8


 4,83

MIN 30

Steel




ROMA




ROMA LEG

BG 708-8 0,51 MIN 100
Steel




ROMA TUBE

L1, L2 -To order
Steel



FURON




FURON BASIC

BG 273-8

 0,53

MIN 100

Steel




FURON CORNER

BP 069-8

 0,35

MIN 100



Steel



FURON TUBE

L1, L2 -To order

Steel



CORBY

NG 726-8

0,41

MIN 100

Steel




ALPES

NG 399-8

0,51

MIN 100

Steel



LOBOS

BG 748-8

H=48

0,36

MIN 100


BG 748-A-8

H=25

0,24

MIN 100

Steel



BOCCA


NG 004-8

L=180


0,60

MIN 100


Steel




DIUNA ● **BG 453-8** L=220  1,10 **MIN 96**
BG 613-8 L=140  0,55 **MIN 100**
 Steel




ANKONA **BG 452-8**  0,51 **MIN 100**
 Steel



ALPINE **BG 222-8** D=50 H=56 L=225  0,57 **MIN 100**
 Steel



ALPINUM **NG 824-8** Ø=40 L=220  0,38 **MIN 100**
 Steel



SWIVEL BASES

FOR SMALL AND MEDIUM-SIZED CHAIRS




SP 960-C-5

1,90

MIN 20

Auto-return




SP 960-A-5

1,90

MIN 20

Auto-return




DISH


SP 085-28 Ø=580  12,30 MIN 20
SP 085-27 Ø=580  12,30 MIN 20

Steel

Ø Also on request




SP 093-8 H=112  1,62
SP 931-8 H=172  1,65
SP 934-8 H=192  1,80




CENTRO

SP 969-5 Ø=610  2,30 MIN 20
SP 969-A-5 Ø=580  2,30 MIN 20
SP 969-C-5 Ø=550  2,30 MIN 20

Steel



 **SP 968-5**  3,25 MIN 20



RIO

SP 166-8
 4,47

MIN 20

Steel


SP 093-8

H=112

 1,62

MIN 20
SP 931-8

H=172

 1,65

MIN 20
SP 934-8

H=192

 1,80


MIN 20



KOMO


SP 788-8
 3,30

MIN 20

Steel




SP 938-8
 1,50

MIN 20

SP 070-B-5
 1,10

MIN 20


CROSS

SP 087-8  5,25 MIN 20
Steel



SP 209-8 H=192  1,50 MIN 20
SP 903-8 H=383  1,80 MIN 20





SP 070-B-5  1,10 MIN 20




PENTE

SP 095-C-20  3,30 Ø=700 MIN 20
Aluminium




SP 912-8 H=90  1,50 MIN 20
SP 782-8 H=107  1,47 MIN 20
SP 778-8 H=157  1,77 MIN 20




SWIVEL BASES

FOR SMALL AND MEDIUM-SIZED CHAIRS


TRUNKY **SP 769-8**  4,50 MIN 20
Steel




SP 912-8 H=90  1,50
SP 782-8 H=107  1,47
SP 778-8 H=157  1,77



SFERUS **SP 127-27**  5,50 MIN 20
Steel



SP 142-A-8  1,70




SFERIC

SP 079-8

Steel

5,40 MIN 20



SP 912-8

H=90

1,50 MIN 20

SP 782-8


H=107

1,47 MIN 20

SP 778-8

H=157

1,77 MIN 20




TRUNK

SP 776-8

Steel

7,10 MIN 20



SP 912-8

H=90

1,50 MIN 20

SP 782-8


H=107

1,47 MIN 20

SP 778-8

H=157

1,77 MIN 20



INDEX

- A**
- AH 001-164
 AH 002-164
 AH 003-164
 AH 011-565
 AH 024-164
 AH 025-164
 AH 049-164
 AH 050-165
 AH 055-464
 AH 068-565
 AH 071-165
 AH 072-535
 AH 073-532
 AK 003-168
 AK 006-168
 AK 012-168
 AK 034-568
 AK 083-574
 AK 085-429, 69
 AK 131-129, 69
 AK 133-141, 43, 47
 AK 177-429, 69
 AK 442-139
 AL 011-162
 AL 034-162
 AL 050-513, 14, 15
 AL 051-513
 AL 052-513
 AL 094-141, 43, 47
 AL 200-162
 AP 008-172
 AP 041-139, 72
 AP 046-139, 72
 AP 072-134, 35
 AR 006-A-139
 AR 006-C-172
 AR 006-D-172
 AR 015-134
 AR 015-A-135
 AR 101-170
 AR 103-170
 AR 104-170
 AR 105-170
 AR 106-171
 AR 107-170
 AR 108-170
 AR 109-171
 AR 110-171
 AR 115-172
 AR 116-135, 72
 AR 117-173
 AR 121-172
 AR 136-171
 AR 165-116, 71
 AR 167-172
 AR 168-171
 AR 172-171
 AR 174-171
 AR 189-171
 AR 190-170
 AR 205-170
 AS 052-C-573
 AS 102-124
 AS 105-122, 24
 AS 107-124
 AS 108-19, 24
 AS 109-19, 24
 AS 119-16, 7, 10, 22
 AS 119-4660, 61
 AS 120-116
 AS 126-19, 24
 AS 129-124
 AS 130-122
 AS 135-16, 7, 8, 10
 AS 138-131
 AS 141-074
 AS 146-122
 AS 153-074
 AS 161-074
 AS 162-074
 AS 169-074
 AS 176-124
 AS 189-17
 AS 252-16, 7, 8, 10
 AS 258-19
 AS 414-19
 AS 428-18
 AS 432-17
 AS 437-074
 AS 477-122
 AS 506-159
 AZ 032-147
 AZ 208-166
 AZ 229-166
 AZ 321-113, 15, 16, 67
 AZ 324-167
 AZ 326-167
 AZ 357-113, 15, 66
 AZ 358-166
 AZ 359-166
 AZ 361-166
 AZ 603-167
 AZ 604-167
 AZ 605-167
 AZ 716-162
 AZ 717-162
- B**
- BA 006-2082
 BA 007-A-884
 BG 010-888
 BG 086-833
 BG 149-882
 BG 207-886
 BG 222-893
 BG 225-888
 BG 235-887
 BG 273-891
 BG 298-884
 BG 306-888
 BG 314-887
 BG 319-887
 BG 402-886
 BG 449-888
 BG 452-893
 BG 453-893
 BG 531-883
 BG 532-884
 BG 533-883
 BG 551-883
 BG 551-A-883
 BG 551-B-883
 BG 551-C-883
 BG 591-886
 BG 613-893
 BG 621-886
 BG 708-890
 BG 713-882
 BG 748-892
 BG 748-A-892
 BG 749-881
 BG 756-881
 BG 765-881
 BG 775-886
 BG 820-889
 BG 857-880
 BG 858-889
 BG 913-885
 BG 918-A-880
 BG 919-880
 BG 931-885
 BG 979-882
 BP 069-891
- C**
- CB 029-5-3G10
 CB 033-5-3G10, 30
 CH 009-164
 CH 028-164
 CH 031-110, 65
 CK 017-568
 CK 028-529, 69
 CK 101-168
- CL** 006-169
CR 018-171
CZ 002-162
CZ 034-163
CZ 149-B-163
CZ 149-C-163
CZ 150-163
CZ 181-165
- D**
- DL 055-074
 DL 056-074
- K**
- KDH02635, 36, 39
 KDH05435, 36, 39
 KDH05735, 36, 39
 KDH13535, 36, 39
 KDYJT013-A-X39
 KDYJT013-B-X34, 39
 KO 009-518
 KO 011-518
 KO 012-518
 KO 128-118
- L**
- LZ 037-513, 67
- M**
- MK 082-A-858
 MS 002-517
 MS 003-517
- N**
- NA 201-087
 NG 004-892
 NG 250-A-529
 NG 399-892
 NG 726-892
 NG 818-884
 NG 824-893
 NG 910-884
- P**
- PB 031-520
 PB 033-157
 PB 033-I-157
 PB 041-521
 PB 103-422
 PB 105-423
 PB 356-122, 23
 PB 357-122, 23
 PC 001-853
 PC 006-853
 PC 011-553
 PC 024-126